

Product and Company Identification

Material Name	Ultra Slurry H2O Separator
Version #	09
Revision Date	24-January-2013
Chemical Description	Proprietary blend of organic properties
CAS #	Mixture
Manufacturer	Ultra Slurry H2O Separator 1448 Charlotte Road North Vancouver British Columbia V7J 1H2 Canada http://www.werkmaster.com General information 1-604-629-8700

Hazards Identification

Emergency Overview	This product has the potential for generation of respirable dust during handling and use. Dust may contain respirable crystalline silica.
Potential Health Effects	
Eyes	Contact with eyes may cause irritation.
Skin	Contact may irritate or burn skin.
Inhalation	Repeated or prolonged inhalation may cause toxic effects. For additional information on inhalation hazards, see Section 11 of this safety data sheet.
Ingestion	Health injuries are not known or expected under normal use. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.
Target Organs	Lungs. Skin.
Chronic Effects	Overexposure to dust may result in pneumoconiosis, a respiratory disease caused by inhalation of mineral dust, which can lead to fibrotic changes to the lung tissue, or silicosis, a respiratory disease caused by inhalation of silica dust which can lead to inflammation and fibrosis of the lung tissue. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

Composition / Information of Ingredients

The manufacturer lists no ingredients as hazardous according to the OSHA 29 CFR 1910.1200.

Composition Comments	This product contains natural occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for impurities are listed in Section 8.
-----------------------------	---

First Aid Measures

First aid procedures	
Eye Contact	Immediately flush eyes with plenty of water for at least 20 minutes. Get medical attention if irritation develops or persists.
Skin Contact	Immediately flush skin with running water for at least 20 minutes. Get medical attention if irritation develops or persists. Inhalation if exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop. If not breathing, give artificial respiration or give oxygen by trained personnel.
Ingestion	Have victim rinse mouth thoroughly with water. If ingestion of a large amount does occur, seek medical attention.

Fire Fighting measures

Flammable Properties	This material will not burn.
Extinguishing media Suitable Extinguishing Media	Dry chemical, CO ₂ , water spray or regular foam.

Accidental Release Measures

Environmental Precautions Methods for Containment Methods for Cleaning Up	No special environmental precautions required. Do not let product enter drains. Stop leak if you can do so without risk. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Sweep up or gather material and place in appropriate container for disposal. Avoid the generation of dusts during clean-up.
--	---

Handling and Storage

Handling	Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.
Storage	No special storage conditions required. No special restrictions on storage with other products.

Exposure Controls / Personal Protection

Occupational Exposure Limits

ACGIH Constituents	Type	Value	Form
INERT OR NUISANCE DUST (SEQ250)	TWA	3mg/m ³	Respirable particles.
		10mg/m ³	Inhalable particles.

U.S. --- OSHA

Constituents	Type	Value	Form
INERT OR NUISANCE DUST (SEQ250)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.
		TWA 5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

Exposure Guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.
Engineering Controls	If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.
Personal Protective Equipment	
Eye / Face Protection	Wear dust goggles. Eye wash fountain is recommended.
Skin Protection	Use of protective coveralls and long sleeves is recommended. Remove and wash contaminated clothing before re-use.
Respiratory Protection	Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.
General Hygiene	Handle in accordance with good industrial hygiene safety practice considerations.

Physical & Chemical Properties

Appearance	Not available
Color	Tan.
Odor	None.
Odor Threshold	Not available.
Physical State	Solid.
Form	Powder.
pH	3.5
Melting Point	Not available.
Freezing Point	Not available.
Boiling Point	Not available.
Flash Point	Not available.
Evaporation Rate	Not available.
Flammability	Not available.
Flammability Limits in Air	Not available.
Upper, % by Volume	
Flammability Limits in Air	Not available.
Lower, % by Volume	
Vapor Pressure	Not available.
Vapor Density	Not available.
Specific Gravity	2.2263 g/ml estimated
Relative Density	Not available.
Solubility (water)	100%
Partition Coefficient	Not available.
(n-octanol/water)	
Auto-ignition Temperature	Not available.
Decomposition Temperature	Not available.
VOC	0 % estimated
Percent Volatile	0 % estimated

Chemical Stability & Reactivity Information

Chemical Stability	Stable at normal conditions.
Conditions to Avoid	None known.
Incompatible Materials	None known.
Hazardous Decomposition	None known.
Possibility of Hazardous Reactions	Will not occur.

Toxicological Information

Acute Effects	Skin irritation, Eye irritation
Chronic Effects	<p>In 1997, IARC (The International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs" (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France)</p> <p>In June 2003, SCOEL (The EU Scientific Committee on Occupational exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94—final, June 2003)</p>

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

Ecological Information

Ecotoxicological Data Product
GelMaxx Part A (Mixture)

Test Results
LC50 Fish: 21764 mg/l 96.00 Hours estimated

*Estimates for product may be based on additional component data not shown.

Ecotoxicity	This material is not expected to be harmful to aquatic life. Components of this product have been identified as having potential environmental concerns. Ecological injuries are not known or expected under normal use. Not available.
Environmental Effects	
Persistence and Degradability	

Disposal Considerations

Disposal Instructions	Dispose in accordance with all applicable regulations.
------------------------------	--

Transport Information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

Regulatory Information

US federal Regulations	OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.
-------------------------------	---

CERCLA (Superfund) Reportable Qty	None
--	------

Superfund Amendments and Reauthorization Act of 1986 (SARA)
Hazard Categories

Immediate Hazard – No
Delayed Hazard – Yes
Fire Hazard – No
Pressure Hazard – No
Reactivity Hazard – No

Section 302 Extremely Hazardous Substance	No
Section 311 Hazardous Chemical	Yes

Inventory(Y/N)	Inventory status Country(s) or region	Inventory Name	On
	Australia	Australian Inventory of Chemical Substances (AICS)	Yes
	Canada	Domestic Substances List (DSL)	Yes
	Canada	Non-Domestic Substances List (NDSL)	No
	China	Inventory of Existing Chemical Substances in China (IESCSC)	Yes
	Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
	Europe	European List of Notified Chemical Substances (ELINCS)	No
	Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
	Korea	Existing Chemicals List (ECL)	Yes
	New Zealand	New Zealand Inventory	No
	Philippines (PICCS)	Philippine Inventory of Chemicals and Chemical Substances	Yes

Material Name: Ultra Slurry H2O Separator / 4284 Version #: 09 / Revision Date: 24-January-2013

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

* "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State Regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

Other Information

Further information

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

HMIS Ratings

Health: 1
Flammability: 0
Physical Hazard: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Issue date

27-February-2009